

Pacific Islands - Online Climate Outlook Forum (OCOF) No. 64

Country Name: Vanuatu

TABLE 1: Monthly Rainfall

Station (include data period)	December 2012						
	October 2012 Total	November 2012 Total	Total	33%tile Rainfall (mm)	67%tile Rainfall (mm)	Median Rainfall (mm)	Ranking
Northern Region							
Sola	684	1019.2	291.7	239.1	410.2	330.3	25/59
Pekoa	232.6	546.0	160.5	147.6	233.2	179.2	19/42
Lamap	81.4	379.3	312.9	100.0	159.8	122.2	49/52
Southern Region							
Bauerfield	35.6	190.5	190.7	103.3	203.2	157.7	24/39
Port Vila	27.1	126.3	208.8	105.8	213.2	158.5	39/60
Whitegrass	2.5	277.8	34.4	47.2	91.0	65.6	9/40
Aneityum	28.6	255.5	136.7	106.6	211.4	151.3	27/61

TABLE 2: Three-monthly Rainfall

Station	Three-month Total	33%tile Rainfall (mm)	67%tile Rainfall (mm)	Median Rainfall (mm)	Ranking	Forecast probs.* (include LEPS)	Verification* (Consistent, Near-consistent, Inconsistent?)
Northern Region							
Sola	1994.9	860.1	1248.3	1053.8	57/59	20:37:43 (20.7)	Consistent
Pekoa	939.1	395.3	651.3	524.1	33/42	38:48:13 (36.0)	Near-consistent
Lamap	773.6	331.2	449.2	367.6	43/52	55:21:24 (20.1)	Inconsistent
Southern Region							
Bauerfield	416.8	327.0	520.0	440.5	16/40	32:49:19 (12.0)	Consistent

* Forecast is consistent when observed and predicted (tercile with the highest probability) categories coincide (are in the same tercile).

Forecast is near-consistent when observed and predicted (tercile with the highest probability) differ by only one category (i.e. terciles 1 and 2 or terciles 2 and 3).

Forecast is inconsistent when observed and predicted (tercile with the highest probability) differ by two categories (i.e. terciles 1 and 3).

Port Vila	362.2	296.4	502.2	428.2	22/60	54:31:15 (20.6)	Near-consistent
Whitegrass	314.7	127.3	208.7	166.0	31/40	38:54:8 (43.3)	Near-consistent
Aneityum	420.8	286.0	490.3	392.7	35/61	67:19:13 (33.6)	Near-consistent

October to December 2012

[Please note that the data used in this verification should be sourced from table 3 of OCOF #60]

Period: *below normal/normal/above normal

Predictors and Period used for October to December 2012 Outlooks (refer to OCOF #60):
SST 1& 9, Jun to Aug 2012

**TABLE 3: Seasonal Climate Outlooks using SCOPIC for
February to April 2013**

Predictors and Period used: SST 1& 9, Oct – Dec 2012.

Station	Below Median (prob)	Median Rainfall (mm)	Above Median (prob)		LEPS	Hit-rate
Northern Region						
Sola	54.8	1260.2	45.2		50.0	50.0
Pekoa	50.0	854.5	50.0		36.6	36.6
Lamap	61.2	703.2	38.8		52.9	52.9
Southern Region						
Bauerfield	53.7	902.1	46.3		62.5	62.5
Port Vila	58.9	857.6	41.1		5.1	64.4
Whitegrass	40.9	488.0	41.1		2.7	58.5
Aneityum	46.2	857.3	53.8		-2.6	47.5

Station	Below Normal (prob)	33%ile rainfall (mm)	Normal (prob)	66%ile rainfall (mm)	Above Normal (prob)	LEPS	Hit-rate
Northern Region							
Sola	34.6	1072	28.1	1323.4	37.3	-1.3	24.1
Pekoa	20.4	747.8	51.4	956.2	28.2	-2.9	39.0
Lamap	46.8	632.2	36.2	756.2	17.0	3.4	43.1
Southern Region							
Bauerfield	35.9	800.4	31.0	997.7	33.1	3.0	30.0
Port Vila	39.8	769.9	37.7	924.0	22.5	3.8	30.5
Whitegrass	22.1	421.5	39.7	583.2	38.2	3.4	22.0
Aneityum	31.4	712.2	41.9	975.7	26.7	-0.8	34.4

Predictors and Period used: SOI, Oct – Dec 2012.

Station	Below Median (prob)	Median Rainfall (mm)	Above Median (prob)		LEPS	Hit-rate
Northern Region						
Sola	50.6	1260.2	49.4		3.3	60.3
Pekoa	50.1	854.5	49.9		-1.3	46.3
Lamap	50.1	703.2	49.9		4.2	62.7
Southern Region						
Bauerfield	50.9	902.1	49.1		4.5	62.5
Port Vila	50.4	857.6	49.6		1.1	54.2
Whitegrass	50.4	488.0	49.6		2.5	56.1
Aneityum	50.4	857.3	49.6		-0.6	50.8

Station	Below Normal (prob)	33%ile rainfall (mm)	Normal (prob)	66%ile rainfall (mm)	Above Normal (prob)	LEPS	Hit-rate
Northern Region							
Sola	32.6	1072.0	34.7	1323.4	32.7	5.9	37.9
Pekoa	33.2	747.8	33.5	956.2	33.3	-1.1	41.5
Lamap	33.7	632.2	33.6	756.2	32.7	0.0	19.6
Southern Region							
Bauerfield	34.3	800.4	35.1	997.9	30.6	4.6	42.5
Port Vila	34.1	769.9	34.1	924.0	31.8	2.5	18.6
Whitegrass	31.7	421.5	34.0	583.2	34.3	6.3	39.0
Aneityum	34.3	712.2	34.1	975.7	31.6	1.5	27.9

**TABLE 4: Seasonal Climate Outlooks using POAMA2 for
February to April 2013**

Station	Lower Tercile (prob)	33%ile rainfall (mm)	Middle Tercile (prob)	66%ile rainfall (mm)	Upper Tercile (prob)		
Port Vila	5	773	90	911	5		

Summary Statements

Rainfall for December 2012:

- Rainfall for the past month (December) was *normal* for all stations (Sola, Pekoia, Bauerfield, Port Vila and Aneityum) except for Lamap which recorded *above normal* and Whitegrass with *below normal* rainfall.

Accumulated rainfall for October–December 2012, including outlook verification:

- Total rainfall for the past three months (October to December) was *above normal* for Sola, Lamap, Pekoia and Whitegrass stations, While Bauerfield, Port Vila and Aneityum recorded *normal* rainfall.
- Forecast was *consistent* for Sola and Bauerfield, *Near-consistent* for Pekoia, Port Vila, Whitegrass and Aneityum while *Inconsistent* for Lamap.

Outlooks for February–April 2013:

1. SCOPIC:

- Using SST 1 & 9

- Northern Region: Above *Normal* rainfall is favored for Sola while *normal* rainfall is favored for Pekoia and below normal rainfall favored for Lamap. (Confidence: very low to low)
- Southern Region: *Below normal* rainfall is favored for Bauerfield and Port Vila stations, while normal rainfall is favoured for whitgrass and Aneityum stations (Confidence : very low to low)
- Overall: *normal to below normal* rainfall is favored for the next three months. (Confidence : low)

- using SOI

- Overall : *Normal to below normal* rainfall is favoured for the next three months (confidence : low)

2. POAMA:

- Rainfall for the months February to April favours *normal* rainfall for Port Vila Station.



NB: The X LEPS % score has been categorised as follows:

Very Low: $X < 0.0$

Low: $0 \leq X < 5$

Moderate $5 \leq X < 10$

Good: $10 \leq X < 15$

High: $15 \leq X < 25$

Very High: $25 \leq X < 35$

Exceptional: $X \geq 35$